

CREST-X

<b>_</b> q	uote 🔲 O	rder						
Date:				Account Number:				
Sales Representative: Dealer Name:				Projected Close Date:				
				Purchase Order Number:				
Address:				Ship To Address:				
City:		State:	Zip:					
Phone	:	Fax:		Contact:				
Email:				Phone:				
Shippi	ng Dick	-Up	Common Carrier	Opportunity Reference / Project Name:				
Metho	d. D	gate (VPLX0400 only)	Flatbed/Forklift					
APPLI	CATION			INSTALLATION				
Хv	<b>PL-R</b> Residentia	1						
ΜΟΙ	DEL							
VPL400-X 4' Vertical Platform Lift (up to 53" lift height)				Exact Lifting Heigh (Mandatory)	Note: Mea	sure from Inside Pit from top landing to floor)		
τον		GURATION						
<b>VPL-LH</b> Left hand <b>VPL-RH</b> Right hand			- <b>1</b> 00	RH	Upper Landing			
Ρον	ver Optior	•		•••	( o )			
					Lower Landing			
<b>PLATFORM CONFIGURATION</b> (Note: must have folding ramp with 36"x 48"x 36" platform)								
	VPL-3648	36" x 48" x 36" strai	ght through platform	<b>VPL-4254</b>	42" x 54" x 42" stra	aight through platform		
	VPL-3654	36" x 54" x 42" strai	ght through platform	<b>VPL-4260</b>	42" x 60" x 42" stra	aight through platform		
	VPL-3660	36" x 60" x 42" strai	ght through platform					
	VPL-3654-90L	36" x 54" x 42" 90°	eft platform	<b>VPL-3654-90</b> R	36" x 54" x 42" 90°	right platform		
	VPL-3660-90L	36" x 60" x 42" 90°	eft platform	<b>VPL-3660-90</b> R	36" x 60" x 42" 90°	right platform		
	VPL-4254-90L	42" x 54" x 42" 90°	eft platform	<b>VPL-4254-90</b> R	42" x 54" x 42" 90°	right platform		
	VPL-4260-90L	42" x 60" x 42" 90°	eft platform	VPL-4260-90	<b>a</b> 42" x 60" x 42" 90°	right platform		

CREST-X

PLATFORM OPTIONS								
	VPL-065-36 36" auto-fold ramp				VPL-060-36F	36" fixed ramp		
	VPL-065-42	5-42 42" auto-fold ramp			VPL-060-42F	42" fixed ramp		
	VPL-013-54	-54 54" handrail ( <i>Not applicable for 36</i> " x 48" x 36")			VPL-013-60	60" handrail (Not applicable for 36" x 48" x 36")		
PLATFORM GATES								
	VPL-004-36L	36L 36" x 42" platform gate with EMI interlock, left (Not applicable for 36" tall side panels)			VPL-004-36R	36" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)		
	VPL-004-42L	42" x 42" platform gate with EMI interlock, left (Not applicable for 36" tall side panels)			VPL-004-42R	42" x 42" platform gate with EMI interlock, right (Not applicable for 36" tall side panels)		
DOORS								
	qty VPL	-008-WR	Wiring for interlocks provided by	y others	Platfo	rm Floor Surface Platform Floor Surface		
	qty <b>VPL</b>	-008L	EMI interlock for left-hand door p by others	rovided	ſ			
	qty <b>VPL</b>	-008R	EMI interlock for right-hand door by others	provided		Left Hand Swing Right Hand Swing		
LANDING GATES								
	VPL-003-36R	36" x 42" l	anding gate with EMI interlock, righ	nt				
	<b>VPL-003-36L</b> 36" x 42" landing gate with EMI interlock, left				-			
	VPL-003-42R 42" x 42" landing gate with EMI interlock, right			nt	-			
	VPL-003-42L	42" x 42" l	anding gate with EMI interlock, left					
	VPL-003-CS	Call/send	rocker switch for landing gate					
	VPL-003-CSK	Call/send	rocker switch with key for landing g	ate				
CONTROLS / SWITCHES								
	<b>VPL-012-X</b> Lighted e-stop with audible alarm (for VPL400-X)							
	VPL-015K Keyed cab control							
	qty VPL-016 Call/send station control box, top/bottom (each)							
	qty VPL-016K Keyed call/send station control box, top/bottom (each)							
	qty VPL-CK Chicago key upgrade for keyed controls (each)							
	VPL-KEY Sp	oare key <i>(ea</i>	ch)					

CREST-X

### **FASCIA PANELS AND BRACES**

VPL-062	Tower brace with bracket						
VPL-341-24	Fascia panel 41" x 24"		VPL-347-24	Fascia panel 47" x 24"			
VPL-341-53	Fascia panel 41" x 53"		VPL-347-53	Fascia panel 47" x 53"			
VPL-341-CC	Fascia panel 41", custom cut to height <i>length to cut in inches</i>		VPL-347-CC	Fascia panel 47", custom cut to height			
SHIPPING OPTIONS							
VPL400-SS	4' shipping: Upright (VPL400-X only)						
VPL400-LD	4' shipping: Laid down (VPL400-X only)						
VPL400-URC	4' crated shipping: Upright						
VPL400-LDC	4' crated shipping: Laid down						
	VPL-341-24 VPL-341-53 VPL-341-CC IPPING OP VPL400-SS VPL400-LD VPL400-URC	VPL-341-24 Fascia panel 41" x 24"   VPL-341-53 Fascia panel 41" x 53"   VPL-341-CC Fascia panel 41", custom cut to height length to cut in inches   IPPING OPTIONS   VPL400-SS 4' shipping: Upright (VPL400-X only)   VPL400-LD 4' shipping: Laid down (VPL400-X only)   VPL400-URC 4' crated shipping: Upright	VPL-341-24 Fascia panel 41" x 24" Image: constraint of the state of the st	VPL-341-24 Fascia panel 41" x 24" VPL-347-24   VPL-341-53 Fascia panel 41" x 53" VPL-347-53   VPL-341-CC Fascia panel 41", custom cut to height length to cut in inches VPL-347-CC   IPPING OPTIONS VPL400-SS 4' shipping: Upright (VPL400-X only)   VPL400-LD 4' shipping: Laid down (VPL400-X only) VPL400-X only)   VPL400-URC 4' crated shipping: Upright VPL400-X only)			

## DRAWING FOR APPROVAL

An application-specific drawing is requested and **production will be scheduled after return of signed approval drawing**. *Upcharge if lift is not ordered within 90-days of drawing submission.* 

### **DRAWING FOR PRESENTATION**

An application-specific drawing is requested and order will be scheduled immediately for production.

NOTES: \_\_\_\_

CREST-X

#### **ACKNOWLEDGMENT OF DEALER/PURCHASER RESPONSIBILITIES**

The product you are about to order will be carefully inspected at the factory to assure every component is correct and undamaged. It ships F.O.B. Missouri, meaning it becomes the property of the receiver upon leaving our factory. Therefore it is incumbent on you, the receiver, to carefully inspect the package to assure it has been delivered in good order and is undamaged.

Before signing for the shipment, inspect the package carefully.

**VISIBLE DAMAGE:** You must note any visible damage on the freight bill. If product damage is obvious, we recommend a further immediate inspection to see what other damage may be concealed, and this also must be written on the freight bill.

**CONCEALED DAMAGE:** If no damage was immediately evident, but is found later (within 48 hours), stop what you are doing and call the freight company immediately to report concealed damage.

Pictures of the damage are a great support in any freight claim and are strongly recommended. Failure to take these steps may preclude your ability to be reimbursed for any damage in transit.

We have personnel available to assist with this process Monday – Friday, 7:30 am – 5:00 pm EST by calling 800-833-0478.

#### CODE COMPLIANCE

Crest Vertical Platform Lifts are designed to meet Safety standard ASME A18.1-2020 when properly equipped. It is the Dealer/Installer's responsibility to ensure compliance with Safety standard ASME A18.1-2020 as well as State and Local code requirements including electrical and building codes which do vary. Some jurisdictions require fees for site preparation and permits. Dealer acknowledges that their order will be installed in accordance with applicable national, state and local governance.

#### INSTALLATION COMPLIANCE

Crest Vertical Platform Lifts should only be installed by a Certified Harmar Installer. Harmar provides specific training for its Vertical Platform Lifts at training@harmar.com. If the Vertical Platform Lift is installed by a non-certified, untrained installer, the purchaser and installer assume all responsibility for repair and replacement costs from issues that may arise involving improper installation.

Thank you for your business!

I have read and understand the above:

Print Name:

Signature:

Date: